



PRODUCT CATALOGUE 2025

Inverter Series

Commercial Refrigerator

Electrical & Gas Cooking Equipment

Foodservice Equipment

Bakery Machinery

Stainless Steel Fabrication

ABOUT US

AT A GLANCE

1st Finest & Largest Commercial
Kitchen Equipment Manufacturer
In Malaysia

10 Branches In Klang Valley,
Negeri Sembilan & Perak



Sales & Marketing Office In Kuala Lumpur, Malaysia

12
Acres Factory

20
Production Lines

45 Years in Commercial
Refrigerator & Foodservice
Equipment Industry

23
Dealers Nationwide

60
Countries for Export

800 Well-Trained
Employees Nationwide



Manufacturing Plant In Negeri Sembilan, Malaysia

CONTENT

04
Inverter Series

09
Commercial Refrigerator

22
**Electrical & Gas
Cooking Equipment**

35
Foodservice Equipment

51
Bakery Machinery

59
Stainless Steel Fabrication

Inverter Series

**NEW
SERIES**

Display Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER
1DDC-IV-BB**



**INVERTER
2DDC-IV-BB**



**INVERTER
3DDC-IV-BB**

		1 Door	2 Doors	3 Doors
Model	Black Body	1DDC-IV-BB	2DDC-IV-BB	3DDC-IV-BB
	White Body	1DDC-IV-WB	2DDC-IV-WB	3DDC-IV-WB
	Stainless Steel Body	1DDC-IV-SB	2DDC-IV-SB	3DDC-IV-SB
Dimension (mm)		635 x (710 + 20) x 2060	1260 x (710 + 20) x 2060	1880 x (710 + 20) x 2060
Gross Volume (Litres)		404	882	1367
Energy Consumption (kWh / Day)		1.7	1.9	3.5
Energy Savings (kWh / Day)*		4.5	10.1	17.2
Energy Savings Up To (% / Year)*		72.58	84.16	83.09
Energy Consumption EEI		57.3	31.5	38.7
Rating in MELS** Tick Level		✓✓✓	✓✓✓✓	✓✓✓✓

* Energy Savings compared with Standard Model
** In-House Laboratory Testing Report

Display Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



**INVERTER
1DDF-IV-BB**



**INVERTER
2DDF-IV-BB**



**INVERTER
3DDF-IV-BB**

		1 Door	2 Doors	3 Doors
Model	Black Body	1DDF-IV-BB	2DDF-IV-BB	3DDF-IV-BB
	White Body	1DDF-IV-WB	2DDF-IV-WB	3DDF-IV-WB
	Stainless Steel Body	1DDF-IV-SB	2DDF-IV-SB	3DDF-IV-SB
Dimension (mm)		635 x (710 + 20) x 2060	1260 x (710 + 20) x 2060	1880 x (710 + 20) x 2060
Gross Volume (Litres)		404	882	1367
Energy Consumption (kWh / Day)		4.8	7.7	9.4
Energy Savings (kWh / Day)*		13.9	26.8	40.2
Energy Savings Up To (% / Year)*		74.33	77.68	81.05
Energy Consumption EEI		53.5	49.1	54.4
Rating in MELS** Tick Level		✓✓✓	✓✓✓	✓✓✓

* Energy Savings compared with Standard Model
** In-House Laboratory Testing Report

Rectangular Confectionery Showcase - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



**INVERTER
2 Tiers**



**INVERTER
3 Tiers**

Model	2 Tiers	RS09C-IV-2T	RS12C-IV-2T	RS15C-IV-2T	RS18C-IV-2T
	3 Tiers	RS09C-IV-3T	RS12C-IV-3T	RS15C-IV-3T	RS18C-IV-3T
Dimension (mm)		900 x 700 x 1350	1200 x 700 x 1350	1500 x 700 x 1350	1800 x 700 x 1350
Gross Volume (Litres)		365	500	636	771
Energy Consumption (kWh / Day)		3.7	3.8	4.8	5.6
Energy Savings (kWh / Day)*		10.2	14.9	17.4	18.6
Energy Savings Up To (% / Year)*		73.38	79.68	78.38	76.86
Energy Consumption EEI		49.8	57.4	51.6	54.8
Rating in MELS** Tick Level		✓✓✓	✓✓✓	✓✓✓	✓✓✓

* Energy Savings compared with Standard Model
** In-House Laboratory Testing Report

Upright Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



INVERTER
2DUC-IV-Z



INVERTER
4DUC-IV-Z



INVERTER
6DUC-IV-Z

	2 Doors	4 Doors	6 Doors
Model	2DUC-IV-Z	4DUC-IV-Z	6DUC-IV-Z
Dimension (mm)	650 x 770 x 2060	1300 x 770 x 2060	1950 x 770 x 2060
Gross Volume (Litres)	470	1042	1611
Energy Consumption (kWh / Day)	1.1	1.7	2.7
Energy Savings (kWh / Day) *	3.7	5.0	6.9
Energy Savings Up To (% / Year) *	77.08	74.63	71.88
Energy Consumption Rating in MELS**	EEl Tick Level 30.1 ✓✓✓✓	27.5 ✓✓✓✓	24.1 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Upright Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



INVERTER
2DUF-IV-Z



INVERTER
4DUF-IV-Z



INVERTER
6DUF-IV-Z

	2 Doors	4 Doors	6 Doors
Model	2DUF-IV-Z	4DUF-IV-Z	6DUF-IV-Z
Dimension (mm)	650 x 770 x 2060	1300 x 770 x 2060	1950 x 770 x 2060
Gross Volume (Litres)	470	1042	1554
Energy Consumption (kWh / Day)	3.8	6.0	8.7
Energy Savings (kWh / Day) *	8.4	9.4	13.6
Energy Savings Up To (% / Year) *	68.85	61.04	60.99
Energy Consumption Rating in MELS**	EEl Tick Level 36 ✓✓✓✓	32.7 ✓✓✓✓	32.3 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Dual Upright Chiller & Freezer - Inverter

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



INVERTER
U2F2C-IV-Z

		4 Doors	6 Doors	6 Doors	
Model		U2F2C-IV-Z	U4C2F-IV-Z	U4F2C-IV-Z	
Dimension (mm)		1300 x 770 x 2060	1950 x 770 x 2060	1950 x 770 x 2060	
Gross Volume (Litres)	Chiller	475	1041	540	
	Freezer	470	540	1041	
Energy Consumption (kWh / Day)	Chiller	1.1	1.7	1.1	
	Freezer	3.7	3.8	6.0	
Energy Savings (kWh / Day) *	Chiller	3.2	5.0	3.1	
	Freezer	6.9	8.43	9.2	
Energy Savings Up To (% / Year) *	Chiller	74.42	74.63	73.81	
	Freezer	65.09	68.93	60.53	
Energy Consumption Rating in MELS**	EEl	Chiller Freezer	30.1 36.9	n/a n/a	n/a n/a
	Tick Level	Chiller	✓✓✓✓	n/a	n/a
		Freezer	✓✓✓✓	n/a	n/a

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Gastronome Upright Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



INVERTER
1FDUC-IV-Z-GN

INVERTER
2FDUC-IV-Z-GN

INVERTER
3FDUC-IV-Z-GN

	1 Door	2 Doors	3 Doors
Model	1FDUC-IV-Z-GN	2FDUC-IV-Z-GN	3FDUC-IV-Z-GN
Dimension (mm)	680 x 840 x 2060	1350 x 840 x 2060	2020 x 840 x 2060
Gross Volume (Litres)	555	1192	1846
Energy Consumption (kWh / Day)	1.1	1.4	2.3
Energy Savings (kWh / Day) *	4.4	5.2	n/a ***
Energy Savings Up To (% / Year) *	80	78.79	n/a ***
Energy Consumption Rating in MELS**	EEl Tick Level ✓✓✓✓	27.5 ✓✓✓✓	20.6 ✓✓✓✓
			23.9 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

*** Not tested, data not available

Gastronome Upright Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



INVERTER
1FDUF-IV-Z-GN

INVERTER
2FDUF-IV-Z-GN

INVERTER
3FDUF-IV-Z-GN

	1 Door	2 Doors	3 Doors
Model	1FDUF-IV-Z-GN	2FDUF-IV-Z-GN	3FDUF-IV-Z-GN
Dimension (mm)	680 x 840 x 2060	1350 x 840 x 2060	2020 x 840 x 2060
Gross Volume (Litres)	555	1192	1846
Energy Consumption (kWh / Day)	3.7	5.7	7.6
Energy Savings (kWh / Day) *	6.9	10.2	16.1
Energy Savings Up To (% / Year) *	65	64	61.64
Energy Consumption Rating in MELS**	EEl Tick Level ✓✓✓✓	33.5 ✓✓✓✓	31.4 ✓✓✓✓
			27.3 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Counter Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



INVERTER
2 Doors

INVERTER
3 Doors

	2 Doors - 4'	2 Doors - 5'	2 Doors - 6'	3 Doors - 7'
Model	2DC4-IV-Z	2DC5-IV-Z	2DC6-IV-Z	3DC7-IV-Z
Dimension (mm)	1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840
Gross Volume (Litres)	258	361	465	566
Energy Consumption (kWh / Day)	0.8	1.1	1.3	1.3
Energy Savings (kWh / Day) *	2.4	3.2	4.0	4.5
Energy Savings Up To (% / Year) *	74.68	74.42	75.47	77.59
Energy Consumption Rating in MELS**	EEl Tick Level ✓✓✓✓	12 ✓✓✓✓	14.9 ✓✓✓✓	16 ✓✓✓✓
				19.2 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Counter Freezer - Inverter

❄️ Temperature °C (Celsius) : -18 to -12



INVERTER
2 Doors



INVERTER
3 Doors

	2 Doors - 4'	2 Doors - 5'	2 Doors - 6'	3 Doors - 7'
Model	2DF4-IV-Z	2DF5-IV-Z	2DF6-IV-Z	3DF7-IV-Z
Dimension (mm)	1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840
Gross Volume (Litres)	258	361	464	566
Energy Consumption (kWh / Day)	2.8	3.7	4.4	4.3
Energy Savings (kWh / Day) *	6.8	6.3	5.8	8.4
Energy Savings Up To (% / Year) *	70.83	63	56.66	66.14
Energy Consumption Rating in MELS **	EEI Tick Level 26.4 ✓✓✓✓	30.3 ✓✓✓✓	28.1 ✓✓✓✓	28.4 ✓✓✓✓

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

Barline Counter Chiller - Inverter

❄️ Temperature °C (Celsius) : +2 to +8



INVERTER
2 Doors



INVERTER
3 Doors

Model	2 Doors - 4'		2 Doors - 5'		2 Doors - 6'		3 Doors - 7'		
	Silver Glass Door	B2DC4-IV-SM-7	B2DC5-IV-SM-7	B2DC6-IV-SM-7	B3DC7-IV-SM-7	Stainless Steel Glass Door	B2DC4-IV-SS-7	B2DC5-IV-SS-7	B2DC6-IV-SS-7
Dimension (mm)	1200 x 760 x 840		1500 x 760 x 840		1800 x 760 x 840		2100 x 760 x 840		
Gross Volume (Litres)	258		361		464		566		
Energy Consumption (kWh / Day)	1.0		1.5		1.6		1.9		
Energy Savings (kWh / Day) *	n/a ***		6.4		8.1		3.9		
Energy Savings Up To (% / Year) *	n/a ***		81.01		83.50		67.24		
Energy Consumption Rating in MELS **	EEI Tick Level 14.9 ✓✓✓✓	20.3 ✓✓✓✓	19.7 ✓✓✓✓	14.7 ✓✓✓✓					

* Energy Savings compared with Standard Model

** In-House Laboratory Testing Report

*** Not tested, data not available



COMMERCIAL REFRIGERATOR

The heavy-duty and environmentally friendly Commercial Refrigerator offers premium quality, design, and performance that best suits a wide range of industries.



SCAN TO EXPLORE
COMMERCIAL REFRIGERATOR RANGE

-
- 11** Display Range
 - 15** Showcase Range
 - 16** Upright Range
 - 17** Counter Range
 - 19** Chest Freezer Range
 - 20** Ice Cream Range
Shock Freezer
 - 21** Ice Maker Machine



Display Range

Display Chiller | Display Freezer | Dual Display Chiller & Freezer

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



1 Door

2 Doors

3 Doors

	1 Door	2 Doors	3 Doors
Display Chiller	1D/DC-SM	2D/DC-SM	3D/DC-SM
	1D/DC-SM-29	2D/DC-SM-29	3D/DC-SM-29
Display Freezer	1D/DF-SM	2D/DF-SM	3D/DF-SM
	1D/DF-SM-29	2D/DF-SM-29	3D/DF-SM-29
Dimension (mm)	635 x (710 + 20) x 2060	1260 x (710 + 20) x 2060	1880 x (710 + 20) x 2060
Gross Volume (Litres)	400 - 404	876 - 882	1351 - 1367

	2 Doors	3 Doors	3 Doors
Dual Display Chiller & Freezer	2D/DCF-SM	3D/D2C1F-SM	3D/D2FC-SM
Dimension (mm)	1260 x (710 + 20) x 2060	1880 x (710 + 20) x 2060	1880 x (710 + 20) x 2060
Gross Volume (Litres)	Chiller	432	977
	Freezer	403	459

Display Chiller | Display Freezer

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



1 Door

2 Doors

3 Doors

	1 Door	2 Doors	3 Doors
Display Chiller	1D/DC-BBH	2D/DC-BBH	3D/DC-BBH
	1D/DC-BBH-29	2D/DC-BBH-29	3D/DC-BBH-29
Display Freezer	1D/DF-BBH	2D/DF-BBH	3D/DF-BBH
	1D/DF-BBH-29	2D/DF-BBH-29	3D/DF-BBH-29
Dimension (mm)	635 x (710 + 20) x 2060	1260 x (710 + 20) x 2060	1880 x (710 + 20) x 2060
Gross Volume (Litres)	400 - 404	876 - 882	1351 - 1367

Display Chiller (B Series)

❄️ Temperature °C (Celsius) : Chiller : +0 to +10



1 Door

2 Doors

3 Doors

	1 Door	2 Doors	3 Doors
Display Chiller	BJY-1DCBS360B	BJY-2DCBS600B	BJY-3DCBS1000B
Dimension (mm)	650 x 550 x 1980	1000 x 550 x 1980	1500 x 550 x 1980
Gross Volume (Litres)	360	600	1000

Display Chiller

❄️ Temperature °C (Celsius) : Chiller: +1 to +10



Model	BJY-1DCBS280-C
Dimension (mm)	540 x 560 x 1725
Gross Volume (Litres)	280

Mini Display Chiller

❄️ Temperature °C (Celsius) : Chiller: +2 to +8



Model	1D/MDC-SM
Dimension (mm)	590 x (580 + 20) x 1740
Gross Volume (Litres)	292

Four Glass Display Chiller

❄️ Temperature °C (Celsius) : 0 to +12



Model	50Hz	BJY-4GDC-78L-A	BJY-4GDC-98L-A	BJY-4GDC-235CD-A
	60Hz	BJY-4GDC78L-A-60	BJY-4GDC-98L-A-60	-
Dimension (mm)		452 x 406x 966	452 x 406 x 1116	556 x 526 x 1713
Capacity (Litres)		78	98	235

Open Showcase

❄️ Temperature °C (Celsius) : +2 to +10



White Body

Black Body

Model	White Body	BS-OS 4SC-2W	BS-OS 6SC-2W	BS-OS 8SC-2W
	Black Body	BS-OS 4SC-2B	BS-OS 6SC-2B	BS-OS 8SC-2B
Dimension (mm)		1200 x 800 x 1900	1800 x 800 x 1900	2400 x 800 x 1900
Gross Volume (Litres)		724	1119	1145

Convenience Open Showcase

❄️ Temperature °C (Celsius) : +2 to +8



Model	BS COS 600B-29	BS COS 900B-29
Dimension (mm)	600 x 700 x 1400	900 x 700 x 1400
Gross Volume (Litres)	158	252

Fish Display Case

❄️ Temperature °C (Celsius) : +2 to +8



Model	FDC 4	FDC 6	FDC 8
Dimension (mm)	1200 x 1160 x 1110	1800 x 1160 x 1110	2400 x 1160 x 1110
Gross Volume (Litres)	97	148	200

Refrigerated Display Case

❄️ Temperature °C (Celsius) : +2 to +10




White Body

Model	White Body	RDC 4	RDC 6	RDC 8
	Black Body	RDC 4-B	RDC 6-B	RDC 8-B
Dimension (mm)		1200 x 1100 x 965	1800 x 1100 x 965	2400 x 1100 x 965
Gross Volume (Litres)		388	596	804

Table Top Display Cooler

❄️ Temperature °C : +1 to +6



Model	DC 211	DC 311
Dimension (mm)	750 x 740 x 590	1095 x 740 x 590
Capacity (Litres)	76	113

Display Cooler

❄️ Temperature °C (Celsius) : 0 to +12



Model	50Hz	BJY-DC-120L-A	BJY-DC-160L-A
	60Hz	BJY-DC-120L-A-60	BJY-DC-160L-A-60
Dimension (mm)		702 x 568 x 686	880 x 568 x 686
Capacity (Litres)		120	160

Wine Cooler

❄️ Temperature °C (Celsius) : Dual Zone 5 - 22°C



Model	BJY-WC320DH/122	BJY-WC428DH/171
Dimension (mm)	595 x 690 x 1480	595 x 680 x 1770
Capacity (Litres)	320	415
Upper (Bottles)	55	88
Lower (Bottles)	67	83

Back Bar Cooler

❄️ Temperature °C (Celsius) : 0 to +10



1 Door



2 Doors



3 Doors

	1 Door	2 Doors	3 Doors
Model	BJY-IDBC128BS-B	BJY-2DBC198BS-B	BJY-3DBC320BS-B
Dimension (mm)	500 x 550 x 860	900 x 550 x 860	1340 x 550 x 860
Capacity (Litres)	128	198	320

Sushi Showcase

❄️ Temperature °C (Celsius) : 0 to +12



Model	BJY-SUSHI-42L	BJY-SUSHI132
Dimension (mm)	1177 x 420 x 265	1800 x 420 x 265
Capacity (Litres)	4 x 1/3 GN	5 x 1/2 GN

Salad Showcase

❄️ Temperature °C (Celsius) : +2 to +10



Model	BJY-SALAD1200
Dimension (mm)	1275 x 410 x 330
Capacity (Litres)	5 x 1/4 GN

Showcase Range

Confectionery Showcase

❄️ Temperature °C (Celsius) : +2to +8



Stainless Steel Base
Curve (2 Tier)



Stainless Steel Base
Rectangular (3 Tier)



Colourbond Base
Curve (2 Tier)



Colourbond Base
Rectangular (3 Tier)

Stainless Steel Base	Curve	2 Tier	CCS-09SS-2	CCS-12SS-2	CCS-15SS-2	CCS-18SS-2	CCS-24SS-2
			CCS-09SS-2-29	CCS-12SS-2-29	CCS-15SS-2-29	CCS-18SS-2-29	CCS-24SS-2-29
Stainless Steel Base	Curve	3 Tier	CCS-09SS-3	CCS-12SS-3	CCS-15SS-3	CCS-18SS-3	CCS-24SS-3
			CCS-09SS-3-29	CCS-12SS-3-29	CCS-15SS-3-29	CCS-18SS-3-29	CCS-24SS-3-29
Stainless Steel Base	Rectangular	2 Tier	RCS-09SS-2	RCS-12SS-2	RCS-15SS-2	RCS-18SS-2	RCS-24SS-2
			RCS-09SS-2-29	RCS-12SS-2-29	RCS-15SS-2-29	RCS-18SS-2-29	RCS-24SS-2-29
Stainless Steel Base	Rectangular	3 Tier	RCS-09SS-3	RCS-12SS-3	RCS-15SS-3	RCS-18SS-3	RCS-24SS-3
			RCS-09SS-3-29	RCS-12SS-3-29	RCS-15SS-3-29	RCS-18SS-3-29	RCS-24SS-3-29
Colourbond Base	Curve	2 Tier	CCS09SB13-2FB	CCS12SB13-2FB	CCS15SB13-2FB	CCS18SB13-2FB	CCS24SB13-2FB
			CCS09-13-2FB-29	CCS12-13-2FB-29	CCS15-13-2FB-29	CCS18-13-2FB-29	CCS24-13-2FB-29
		3 Tier	CCS09SB13-3FB	CCS12SB13-3FB	CCS15SB13-3FB	CCS18SB13-3FB	CCS24SB13-3FB
	CCS09-13-3FB-29		CCS12-13-3FB-29	CCS15-13-3FB-29	CCS18-13-3FB-29	CCS24-13-3FB-29	
	Rectangular	2 Tier	RCS09SB13-2FB	RCS12SB13-2FB	RCS15SB13-2FB	RCS18SB13-2FB	RCS24SB13-2FB
			RCS09-13-2FB-29	RCS12-13-2FB-29	RCS15-13-2FB-29	RCS18-13-2FB-29	RCS24-13-2FB-29
3 Tier		RCS09SB13-3FB	RCS12SB13-3FB	RCS15SB13-3FB	RCS18SB13-3FB	RCS24SB13-3FB	
	RCS09-13-3FB-29	RCS12-13-3FB-29	RCS15-13-3FB-29	RCS18-13-3FB-29	RCS24-13-3FB-29		
Dimension (mm)			900 x 700 x 1350	1200 x 700 x 1350	1500 x 700 x 1350	1800 x 700 x 1350	2400 x 700 x 1350
Gross Volume (Litres)			316 - 370	439 - 500	560 - 628	682 - 757	926 - 1015

Confectionery Showcase (Economy Series)

❄️ Temperature °C (Celsius) : +2 to +8



Curve (2 Tiers)



Rectangular (2 Tiers)

Model	Curve	BJY-CCS0912-2B	BJY-CCS1212-2B	BJY-CCS1512-2B
	Rectangular	BJY-RCS0912-2B	BJY-RCS1212-2B	BJY-RCS1512-2B
Dimension (mm)		900 x 685 x 1200	1200 x 685 x 1200	1500 x 685 x 1200
Gross Volume (Litres) - Curve		180	250	317
Gross Volume (Litres) - Rectangular		310	415	530

Rectangular Drawer Showcase

❄️ Temperature °C (Celsius) : +2 to +8



With Window



Without Window

Model	With Window		Without Window		
	RDS-M-12W	RDS-M-15W	RDS-M-12	RDS-M-15	
Dimension (mm)		1200 x 700 x 1200	1500 x 700 x 1200	1200 x 700 x 1200	1500 x 700 x 1200
Gross Volume (Litres) <i>Top</i>		157	195	157	195
Gross Volume (Litres) <i>Middle</i>		132	163	159	203

Upright Range

Upright Chiller | Upright Freezer | Dual Upright Chiller & Freezer

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



2 Doors

4 Doors

6 Doors

	2 Doors	4 Doors	6 Doors
Upright Chiller	BS 2DUC/Z	BS 4DUC/Z	BS 6DUC/Z
	BS 2DUC/Z-29	BS 4DUC/Z-29	BS 6DUC/Z-29
Upright Freezer	BS2 DUF/Z	BS 4DUF/Z	BS 6DUF/Z
	BS2 DUF/Z-29	BS 4DUF/Z-29	BS 6DUF/Z-29
Dimension (mm)	650 x 770 x 2060	1300 x 770 x 2060	1950 x 770 x 2060
Gross Volume (Litres)	470 - 471	1029 - 1042	1602 - 1611

	4 Doors	6 Doors	6 Doors
Dual Display Chiller & Freezer	BS DU2F2C/Z	BS DU4C2F/Z	BS DU4F2C/Z
Dimension (mm)	1300 x 770 x 2060	1950 x 770 x 2060	1950 x 770 x 2060
Gross Volume (Litres)	Chiller	540	540
	Freezer	473	540

Gastronome Upright Chiller | Gastronome Upright Freezer

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



1 Door

2 Doors

3 Doors

	1 Door	2 Doors	3 Doors
Gastronome Upright Chiller	BS 1FDUC/Z/GN	BS 2FDUC/Z/GN	BS 3FDUC/Z/GN
	BS 1FDUC/Z/GN-29	BS 2FDUC/Z/GN-29	BS 3FDUC/Z/GN-29
Gastronome Upright Freezer	BS 1FDUF/Z/GN	BS 2FDUF/Z/GN	BS 3FDUF/Z/GN
	BS 1FDUF/Z/GN-29	BS 2FDUF/Z/GN-29	BS 3FDUF/Z/GN-29
Dimension (mm)	680 x 840 x 2060	1350 x 840 x 2060	2020 x 840 x 2060
Gross Volume (Litres)	552 - 555	1192 - 1197	1846 - 1853

Dual Display Chiller & Freezer (Piping System)

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -25 to -20



2 Doors

4 Doors

6 Doors

	2 Doors	4 Doors	6 Doors
Model	PS-2DD/CF-N	PS-4DD/CF-N	PS-6DD/CF-N
Dimension (mm)	667 x 710 x 2080	1283 x 710 x 2080	1905 x 710 x 2080
Gross Volume (Litres)	Chiller	289	953
	Freezer	175	577

Piping / Static System

Counter Range

Counter Chiller | Counter Freezer | Dual Counter Chiller & Freezer

❄️ Temperature °C (Celsius) : Chiller : +2 to +8 | Freezer : -18 to -12



2 Doors (BS 2DC4/Z-N)



2 Doors



3 Doors

	2 Doors - 4'	2 Doors - 4'	2 Doors - 5'	2 Doors - 6'	3 Doors - 7'	3 Doors - 8'
Counter Chiller	BS 2DC4/Z-N	BS 2DC4/Z	BS 2DC5/Z	BS 2DC6/Z	BS 3DC7/Z	BS 3DC8/Z
	-	BS 2DC4/Z-29	BS 2DC5/Z-29	BS 2DC6/Z-29	BS 3DC7/Z-29	BS 3DC8/Z-29
Counter Freezer	-	BS 2DF4/Z	BS 2DF5/Z	BS 2DF6/Z	BS 3DF7/Z	BS 3DF8/Z
	-	BS 2DF4/Z-29	BS 2DF5/Z-29	BS 2DF6/Z-29	BS 3DF7/Z-29	BS 3DF8/Z-29
Dimension (mm)	1200 x 760 x 840	1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840	2400 x 760 x 840
Gross Volume (Litres)	233	258 - 262	361 - 366	464 - 472	566 - 576	681

	2 Doors - 4'	2 Doors - 5'	2 Doors - 6'	3 Doors - 7'	3 Doors - 8'	
Dual Counter Chiller & Freezer	BS 2DCF4/Z	BS 2DCF5/Z	BS 2DCF6/Z	BS 3D2CF7/Z	BS 3D2CF8/Z	
Dimension (mm)	1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840	2400 x 760 x 840	
Gross Volume (Litres)	(Left) Freezer	127	178	230	183	224
	(Right) Chiller	127	178	230	375	445

Salad Sandwich Counter

❄️ Temperature °C (Celsius) : +2 to +8



2 Doors



1 Door



2 Doors



3 Doors

	2 Door	1 Door	2 Doors	3 Doors
Model	BS 2D/SSCF/Z-N	BS 1D/SSCF4/Z-23	BS 2D/SSCF6/Z-23	BS 3D/SSCF8/Z-23
	-	1DSSCF4-Z-23-29	2DSSCF6-Z-23-29	-
Dimension (mm)	825 x 760 x 840	1200 x 760 x 840	1800 x 760 x 840	2400 x 760 x 840
Gross Volume (Litres)	131	216	426	634

Pizza Counter

❄️ Temperature °C (Celsius) : +2 to +8



1 Door



2 Doors



3 Doors

	1 Door	2 Doors	3 Doors
Model	BS 1D/PCF4/Z-23	BS 2D/PCF6/Z-23	BS 3D/PCF8/Z-23
	1DPCF4-Z-23-29	2DPCF6-Z-23-29	-
Dimension (mm)	1200 x 760 x 1080	1800 x 760 x 1080	2400 x 760 x 1080
Gross Volume (Litres)	216	426	634

Refrigerated Barline

❄️ Temperature °C (Celsius) : +2 to +8



2 Doors



3 Doors



4 Doors

Model	2 Door		2 Door		2 Door		3 Door		4 Door	
	600 Series	B2D/C4/600-SM	B2D/C5/600-SM	B2D/C5/600-SM	B2D/C6/600-SM	B2D/C6/600-SM	B3D/C7/600-SM	B3D/C7/600-SM	B4D/C8/600-SM	B4D/C8/600-SM
Dimension (mm)	600 Series	1200 x (600 + 20) x 840	1500 x (600 + 20) x 840	1500 x (600 + 20) x 840	1800 x (600 + 20) x 840	1800 x (600 + 20) x 840	2100 x (600 + 20) x 840	2100 x (600 + 20) x 840	2400 x (600 + 20) x 840	2400 x (600 + 20) x 840
	700 Series	1200 x (760 + 20) x 840	1500 x (760 + 20) x 840	1500 x (760 + 20) x 840	1800 x (760 + 20) x 840	1800 x (760 + 20) x 840	2100 x (760 + 20) x 840	2100 x (760 + 20) x 840	2400 x (760 + 20) x 840	2400 x (760 + 20) x 840
Gross Volume (Litres)	600 Series	182	255	255	329	329	405	405	479	479
	700 Series	258 - 263	361 - 366	361 - 366	464 - 472	464 - 472	566 - 576	566 - 576	681	681

Drawer Counter Chiller

❄️ Temperature °C (Celsius) : +2 to +8



2 Decks
BS 4DR/C1850/2



3 Decks
BS 6DR/C1850/3

Model	2 Decks	2 Drawer BS 2DR/C1165/2	4 Drawer BS 4DR/C1850/2	6 Drawer BS 6DR/C2535/2
	3 Decks	3 Drawer BS 3DR/C1165/3	6 Drawer BS 6DR/C1850/3	9 Drawer BS 9DR/C2535/3
External Dimension (mm)		1165 x 760 x 840	1850 x 760 x 840	2535 x 760 x 840
Gross Volume (Litres)		279	536	795

Low Boy Drawer Counter Chiller

❄️ Temperature °C (Celsius) : +2 to +8



BS 2DR/C1200/2-LB



BS 4DR/C1900/2-LB



BS 6DR/C2580/2-LB

Model	2 Decks	2 Drawer BS 2DR/C1200/2-LB	4 Drawer BS 4DR/C1900/2-LB	6 Drawer BS 6DR/C2580/2-LB
External Dimension (mm)		1200 x 760 x 600	1900 x 760 x 600	2580 x 760 x 600
Gross Volume (Litres)		45	90	134

Chest Freezer Range

❄️ Chest Freezer (Top Opening Door)



Model	Temperature (°C)	Dimension (mm)	Capacity (Litres)
BJY-CFSD100B-R6	+5, -24 to -12	545 x 476 x 835	99
BJY-CFSD200B-R6	+5, -24 to -12	635 x 556 x 835	142
BJY-CFSD300B-R6	+5, -24 to -12	823 x 556 x 835	199
BJY-CFSD400B-R6	+5, -24 to -12	1155 x 610 x 845	300
BJY-CFSD500B-R6	+5, -24 to -12	1365 x 730 x 835	400
BJY-CFSD600B-R6	+5, -24 to -12	1650 x 730 x 835	500
BJY-CFSD700B-R2	+2 to 8, -24 to -12	1880 x 730 x 935	700
BJY-CFSD1000C-R2	0 to +10, -18 to 0	2215 x (780 + 57) x 945	828

❄️ Deluxe Freezer



Model	BJY-DFGD520	BJY-DFGD660
Temperature °C	-10 to 0	-10 to 0
Dimension (mm)	1600 x 940 x 880	2030 x 940 x 880
Capacity (Litres)	520	660

❄️ Island Freezer



Model	BJY-IFGD-600M	BJY-IFGD-850M
Temperature °C	-18 to 0	-18 to 0
Dimension (mm)	1520 x 760 x 890	2000 x 760 x 870
Capacity (Litres)	563	802

❄️ Island Freezer (Combined Version)



Model	BJY-IFGD-600L (End piece)	BJY-IFGD-700L	BJY-IFGD850L
Temperature °C	≤ -18	≤ -18	≤ -18
Dimension (mm)	1870 x 875 x 835	2115 x 875 x 835	2502 x 875 x 835
Capacity (Litres)	600	700	820

❄️ Ice Cream Showcase



Model	BJY-CFGD150-B	BJY-CFGD250-B
Temperature °C	≤ -18	≤ -18
Dimension (mm)	615 x 675 x 860	805 x 695 x 860
Capacity (Litres)	150	250

❄️ Ice Cream Showcase



Model	BJY-CFGD400-B	BJY-CFGD500-B
Temperature °C	< -18	< -18
Dimension (mm)	1045 x 695 x 850	1275 x 695 x 860
Capacity (Litres)	301	451

Ice Cream Range

❄️ Ice Cream Machine



Table Top

Free Standing

Model	50Hz	BJY-ICM18B-TT	BJY-ICM18B-FS	BJY-ICM28-PC-TT	BJY-ICM28-PC-FS
	60Hz	BJY-ICM18B-TT60	BJY-ICM18B-FS60	-	-
Flavour		2+1 Mixed Flavour	2+1 Mixed Flavour	2+1 Mixed Flavour	2+1 Mixed Flavour
Cylinder Volume		2.0L x 2	2.0L x 2	2.0L x 2	2.0L x 2
Hopper Volume		6.5L x 2	6.5L x 2	6.5L x 2	6.5L x 2
External Dimension (mm)		715 x 560 x 780	715 x 560 x 1380	715 x 560 x 780	715 x 560 x 1380
Remark		One time can make 10 ~ 12 cup ice cream con; 3 ~ 5 minutes one cycle		With 2 compressor; Pre Cooling System; One time can make 16 ~ 20 cup ice cream con; 3 ~ 5 minutes one cycle	

Gelato Showcase

❄️ Temperature °C (Celsius) : -25 to -20



Blue

Model - Blue	GS08-B	GS10-B	GS12-B
Dimension (mm)	1350 x 1125 x 1300	1600 x 1125 x 1300	1850 x 1125 x 1300
No. of Pan	8	10	12
Size of Pan (mm)	360 x 250 x 80 (FP-ICS-1/2-3)	360 x 250 x 80 (FP - ICS - 1/2 - 3)	360 x 250 x 80 (FP - ICS - 1/2 - 3)

* Colour Option : Grey , Orange , Pink , White

Shock Freezer

Shock Freezer

❄️ Temperature °C (Celsius) : -40 to ±3



SF-1300-40-5

SF-1800-40-10

Model	SF-1300-40-5	SF-1800-40-10
Dimension (mm)	800 x 840 x 1300	800 x 840 x 1800
Gross Volume (Litres)	199	446
No. of 1/1 Size Pan (Depth 65mm)	5 Trays	10 Trays

Ice Maker Machine

❄️ Cube Ice Machine - Undercounter



BJY-IM55



BJY-IM95

Model (Dice Ice 22mm)	BJY-IM55	BJY-IM95
Dimension (mm)	500 x 590 x 850	660 x 685 x 920
Output (lb / 24hr)	(120 lb or 55 kg) / 24hr	(220 lb or 95 kg) / 24hr

❄️ Cube Ice Machine - Free Standing



BJY-IM191 + IB-300



BJY-IM455 + IB-375



BJY-IM682 + IB-775

Machine - Dice Ice 22mm	BJY-IM191	BJY-IM455	BJY-IM682
Machine - Dice Ice 28mm	BJY-IM191LD	BJY-IM455LD	-
Ice Bin	IB-300	IB-375	IB-775
Product Dimension (mm)	560 x 810 x 1558	795 x 810 x 1895	1260 x 810 x 1825
Machine	560 x 618 x 568	795 x 595 x 745	1260 x 630 x 675
Ice Bin	560 x 810 x 990	780 x 810 x 1150	1230 x 810 x 1150
Output (lb/24hr)	(420 lb or 191kg) / 24hr	(1000 lb or 455kg) / 24hr	(1500 lb or 682kg) / 24hr

❄️ Flake Ice Machine - Free Standing



BJY-IMF300 + IB-375

Machine	BJY-IMF300
Ice Bin	IB-375
Product Dimension (mm)	765 x 830 x 1795
Machine	765 x 640 x 645
Ice Bin	760 x 830 x 1150
Output (lb / 24hr)	(660 lb or 300 kg) / 24hr



ELECTRICAL & GAS COOKING EQUIPMENT

A full line of commercial electrical and gas cooking equipment that has transformed the food and hospitality industry.



SCAN TO EXPLORE
COOKING EQUIPMENT RANGE

- 24** Griddle, Char Broiler & Open Burner
- 27** Deep Fryer
- 28** Paste Boiler
- 29** Induction Range
- 30** Kwali Range
- 31** Bratt Pan & Kwali Ranges
- 32** Shawerma
Salamanda
Rice Cooker
- 33** Steamer & Roaster Range
- 34** Other Range



Griddle, Char Broiler & Open Burner

⚡ Electrical Griddle



EG5250-17

EG3500FS-17

Model	Table Top	EG1750	EG3000	EG3500-17	EG5250-17
	Free Standing	-	EG3000FS	EG3500FS-17	EG5250FS-17
Dimension (mm) Table Top / Free Standing		400 x 455 x 280	600 x 455 x 288 / 930	600 x 790 x 455 / 1010	900 x 790 x 455 / 1010
Wattage (W)		1750	3500	3500	5250

* EG5250-17 & EG5250FS-17 – 3 phase is required

🔥 Gas Griddle



GG3B-17

GG4BFS-17

Model	Table Top	GG2B-17	GG3B-17	GG4B-17
	Free Standing	GG2BFS-17	GG3BFS-17	GG4BFS-17
Dimension (mm) Table Top / Free Standing		600 x 790 x 455 / 1010	900 x 790 x 455 / 1010	1200 x 790 x 455 / 1010
Number of Burner		2	3	4

⚡ Electrical Griddle (Half Ribbed)



EG5250HR-17

EG5250HRFS-17

Model	Table Top	EG3500HR-17	EG5250HR-17
	Free Standing	EG3500HRFS-17	EG5250HRFS-17
Dimension (mm) Table Top / Free Standing		600 x 790 x 455 / 1010	900 x 790 x 455 / 1010
Wattage (W)		3500	5250

* EG5250HR-17 & EG5250HRFS-17 – 3 phase is required

🔥 Gas Griddle (Half Ribbed)



GG2BHR-17

GG2BHRFS-17

Model	Table Top	GG2BHR-17
	Free Standing	GG2BHRFS-17
Dimension (mm) Table Top / Free Standing		600 x 790 x 455 / 1010
Number of Burner		2

Char Broiler



CB3B-17



CB5BFS-17

Model	Table Top	CB3B-17	CB5B-17
	Free Standing	CB3BFS-17	CB5BFS-17
Dimension (mm) Table Top / Free Standing		600 x 790 x 455 / 1010	900 x 790 x 455 / 1010
Number of Burner		3	5

Char Rock Broiler



CRB2B-17



CRB3BFS-17

Model	Table Top	CRB2B-17	CRB3B-17
	Free Standing	CRB2BFS-17	CRB3BFS-17
Dimension (mm) Table Top / Free Standing		600 x 790 x 455 / 1010	900 x 790 x 455 / 1010
Number of Burner		2	3

Combination Char Broiler Griddle



CB3BGG1B-17



CB3BGG1BFS-17

Model	Table Top	CB3BGG1B-17
	Free Standing	CB3BGG1BFS-17
Dimension (mm) Table Top / Free Standing		900 x 790 x 455 / 1010
Number of Burner		3 + 1

Combination Open Burner Griddle



OB4GG1B-17



OB4GG1BFS-17

Model	Table Top	OB4GG1B-17
	Free Standing	OB4GG1BFS-17
Dimension (mm) Table Top / Free Standing		900 x 790 x 455 / 1010
Number of Burner		4 + 1

Roti Canai / Chapati Griddle



Model	RCGG4BFS
Dimension (mm)	1220 x (870+60) x 930
Number of Burner	4

Open Burner



OB4-17

OB6FS-17

Model	Table Top	OB2S	OB2-17	OB4-17	OB6-17
	Free Standing	OB2SFS	OB2FS-17	OB4FS-17	OB6FS-17
Dimension (mm) Table Top / Free Standing		600 x 417 x 350 / 860	300 x 790 x 455 / 1010	600 x 790 x 455 / 1010	900 x 790 x 455 / 1010
Number of Burner		2	2	4	6

Combination Open Burner Griddle With Oven



Model	OB4GG1BWO-17
Dimension (mm)	900 x 790 x 1010
Number of Burner	6

Deluxe Range Oven With Open Burner



DRO4-17

DRO6-17

Model	DRO4-17	DRO6-17
Dimension (mm)	600 x 790 x 1010	900 x 790 x 1010
Number of Burner	4 + 1	6 + 1

Stock Pot



SP 1

SP 2-HT

SP 2-HP

Model (Low Pressure) : Ring Burner	SP 1	SP 2
Model (High Pressure) : Trumpet Burner	SP 1-HT	SP 2-HT
Model (High Pressure) : Pineapple Burner	SP 1-HP	SP 2-HP
Dimension (mm)	600 x 600 x 520	1200 x 600 x 520
Number of Burner	1	2

Deep Fryer

⚡ Electrical Deep Fryer



DF 12-17



DF 11D-17

Model	DF 13-17	DF 12-17	DF 11D-17	DF 23S1B-17
Dimension (mm)	177 x 418 x 337	269 x 418 x 337	538 x 418 x 337	354 x 418 x 337
Wattage (W)	2400	3000	3000 x 2	3000
Capacity (Litres)	6	9	9 x 2	12

⚡ Electrical Deep Fryer



SDF 12



FSSDF 12D

Model	SDF 12	SDF 12D	FSSDF 12	FSSDF 12D
Dimension (mm)	310 x 550 x 440	640 x 550 x 440	310 x 590 x 990	640 x 590 x 990
Wattage (W)	5500	5500 x 2	5500	5500 x 2
Capacity (Litres)	9	9 x 2	9	9 x 2

3 phase is required

🔥 Gas Deep Fryer



GDF 12



FSGDF 11D

Model	GDF 12	GDF 11D	FSGDF 12	FSGDF 11D
Dimension (mm)	310 x 675 x 460	640 x 675 x 460	310 x 715 x 1020	640 x 715 x 1020
Capacity (Litres)	11	11 x 2	11	11 x 2

🔥 Gas Deep Fryer



GDFE1BFS-17



GDFE2BFS-17

Model	GDFE1BFS-17	GDFE2BFS-17
Dimension (mm)	400 x 790 x 1090	400 x 790 x 1090
Capacity (Litres)	27	27

🔥 Gas Deep Fryer (Economy)



BJY-GDF55-1B



BJY-GDF55-2B

Model	BJY-GDF55-1B	BJY-GDF55-2B
Dimension (mm)	300 x 510 x 470	580 x 510 x 470
Capacity (Litres)	5.5	5.5 x 2

⚡ Electrical Deep Fryer (Economy)



Model	BJY-EDF4-A	BJY-EDDF35-A
Dimension (mm)	214 x 400 x 260	405 x 400 x 260
Capacity (Litres)	3	3 x 2

🔥 Tempura Fryer



Model	TF 24
Dimension (mm)	550 x 600 x 1070
Capacity (Litres)	34

Pasta Boiler

🔥 Pasta Boiler



Model	GPB6BFS-17
Dimension (mm)	400 x 790 x 1010
Cooking Basket	6

🔥 Pasta Boiler



Model	BJY-GNB6-TT
Dimension (mm)	630 x 730 x 535
Cooking Basket	6

⚡ Pasta Boiler



Model	BJY-ENB4-TT
Dimension (mm)	430 x 650 x 480
Wattage (W)	5000
Cooking Basket	4

Induction Range

⚡ Induction Stock Pot



Model	BJY-IC-SP5.0KW
Dimension (mm)	570 x 630 x 645
Wattage (W)	5000

* Isolator 35A/1 phase is excluded

⚡ Wok Induction Cooker



	Wok Induction Cooker	Stainless Steel Fry Wok
Model	BJY-IC-WOK3.5KW	BJY-IC-WOK
Dimension (mm)	340 x 430 x 125	Wok 36cm
Wattage (W)	3500	N/A

BJY-IC-WOK3.5KW

BJY-IC-WOK

⚡ Induction Cooker



Model	BJY-IC-3.5KW	BJY-IC-5.0KW	BJY-IC-BIS1.8KW	BJY-IC-BIS3.5KW
Dimension (mm)	340 x 440 x 117	398 x 515 x 168	297 x 297 x 80	360 x 380 x 120
Wattage (W)	3500	5000	1800	3500

* BJY-IC-5.0KW – Isolator 35A/1 phase is excluded

BJY-IC-3.5KW

BJY-IC-BIS3.5KW

⚡ Induction Deep Fryer



Model	BJY-IC-1DF3.5KW	BJY-IC-2DF3.5KW
Dimension (mm)	288 x 478 x 410	576 x 478 x 410
Wattage (W)	3500	3500 x 2
Capacity (Litres)	8L	8L x 2

BJY-IC-1DF3.5KW

BJY-IC-2DF3.5KW

⚡ Induction Stove



Model	BJY-IC-ES4-3.5KW	BJY-IC-ES6-3.5KW
Table Top	BJY-IC-EG/ES-TT	BJY-IC-EG/ES-TT
Free Standing	BJY-IC-EG/ES-FS	BJY-IC-EG/ES-FS
Dimension (mm)	790 x 840 x 390 / 1010	1150 x 840 x 390 / 1010
Wattage (W)	3500 x 4	3500 x 6
Number of Hob	4	6

BJY-IC-ES4-3.5KW
(Table Top)

BJY-IC-ES6-3.5KW
(Free Standing)

* Isolator 35A/1 phase is excluded

⚡ Induction Griddle



BJY-IC-EG-5.0KW
(Table Top)



BJY-IC-EG-5.0KW
(Free Standing)

Model	BJY-IC-EG5.0KW
Table Top	BJY-IC-EG/ES-TT
Free Standing	BJY-IC-EG-FS
Dimension (mm)	700 x 800 x 480 / 1010
Wattage (W)	5000

* Isolator 35A/1 phase is excluded

Kwali Range

🔥 Kwali Range with Cast Iron Ring (Standard Type)



KR-S-1



KR-S-3

Model	KR-S-1	KR-S-2	KR-S-3	KR-S-4
Dimension (mm)	710 x 765 x (720 + 495)	1220 x 765 x (720 + 495)	1830 x 765 x (720 + 495)	2440 x 765 x (720 + 495)
Number of Burner	1	2	3	4

🔥 Kwali Range (Economy Type)



KR-E-2



KR-E-4

Model	Dimension (mm)	Number of Burner
KE-E-1	710 x 720 x (690 + 385)	1
KE-E-2	1220 x 720 x (690 + 385)	2
KE-E-3-5	1525 x 720 x (690 + 385)	3
KE-E-3-6	1830 x 720 x (690 + 385)	3
KE-E-4	2135 x 710 x (690 + 385)	4
KE-E-2-4225	1070 x 635 x (690 + 380)	2
KE-E-3-6625	1680 x 635 x (690 + 380)	3

🔥 Kwali Range with Cast Iron Ring (Standard + Economy Type)



KR-SE-1-2828

Model	KR-SE-1-2828	KR-SE-2-2828	KR-SE-3-2828	KR-SE-4-2828
Dimension (mm)	710 x 720 x (690 + 385)	1220 x 720 x (690 + 385)	1830 x 720 x (690 + 385)	2135 x 720 x (690 + 385)
Number of Burner	1	2	3	4

🔥 Kwali Range & Soup Ring



KR-2-1S



KR-3-1S



KR-4-1S-1-L

Model	KR-2-1S	KR-3-1S	KR-4-1S-1-L	KR-4-1S2R-L	KSP
Dimension (mm)	2210 x 920 x (720 + 495)	2745 x 920 x (720 + 495)	3355 x 1070 x (835 + 495)	3353 x 1067 x 1219	ø510 x 370
Number of Burner	2 Burner 1 Soup Ring	3 Burner 1 Soup Ring	4 Burner 1 Soup Ring	4 Burner 1 Soup Ring 2 Rear Burner	N/A

Bratt Pan & Kwali Ranges

🔥 Gas Boiling Pan



Model	BP30	BP30B (Basket)
Dimension (mm)	ø 1110 x 960	ø 460 x 450
Capacity (Litres)	110	-

🔥 Gas Kwali Cooker



Model	KC24	KC36	KC48
Dimension (mm)	ø 930 x 920	ø 1230 x 920	ø 1500 x 920
Capacity (Litres)	20	80	200

🔥 Gas Tilting Pan



Model	TP3237
Dimension (mm)	940 x 1040 x 980
Capacity (Litres)	80

🔥 Gas Tilting Kettle



	Cast Iron Wok	Stainless Steel Wok
Model	TK-43CW	TK-43SW
Dimension (mm)	1400 x 800 x 1120	1400 x 880 x 1120
Capacity (Litres)	180	180

Shawerma

Shawerma Griller / Kebab Machine



KM2H



KM2B



KM3

Model	Automatic Operated		Automatic Operated		Manual Operated	
	Electrical		Gas			
	KM2H	KM3H	KM2B	KM3B	KM2	KM3
Dimension (mm)	520 x 635 x 770	520 x 635 x 968	480 x 675 x 780	480 x 675 x 975	408 x (508 + 30) x 602	408 x (508 + 30) x 777
Wattage (W)	5000	7500	-	-	-	-
Capacity (kg of meat)	15 ~ 20	20 ~ 30	15 ~ 20	20 ~ 30	15 ~ 20	20 ~ 30

Salamanda

Salamanda



SALA 11N



E SALA 11

Model	Gas		Electrical
	SALA 11N	SALA 22N	E SALA 11
Dimension (mm)	640 x 580 x 525	945 x 580 x 525	710 x 450 x 370
Wattage (W)	-	-	2700

Rice Cooker

Electrical Rice Cooker



Model	BJJ-ERC64-N
Dimension (mm)	460 x 505 x 380
Capacity (Litres)	8.5 (45 persons)

Gas Rice Cooker



Model	BJJ-GRC60
Dimension (mm)	550Ø x 450
Capacity (Litres)	10 (50-60 persons)

Steamer & Roaster Range

🔥 Duck Roaster / Apollo Stove



Without Hanger



With Hanger

Charcoal	Without Hanger	A-C27	A-C33
	With Hanger	A-HC27	A-HC33
Gas	Without Hanger	A-G27	A-G33
	With Hanger	A-HG27	A-HG33
Dimension (Ø x H) (mm)		685 x 1270	840 x 1525

Model : Charcoal Stove	CS
Dimension (Ø x H) (mm)	320 x 300

🔥 Charcoal Lamb Roaster



Model	LR-47
Dimension (mm)	1230 x 760 x 760

🔥 Tandoori Stove



Model	TS-CHARCOAL
	TS-GAS
Dimension (mm)	760 x 760 x 840

🔥 Commercial Kitchen Steamer



Model	With Safety Valve	CKS-6T-G	CKS-12T-G
	Without Safety Valve	CKS-6T-E-G	CKS-12T-E-G
Dimension (mm)		750 x 690 x 1435	750 x 690 x 1800
Number of Tray		6	

Automatic Fish Steamer Include Netting



AFS-2

Model	AFS-2	AFS-4
Dimension (mm)	635 x 710 x 1575	635 x 710 x 1575
Number of Deck	2	4

Tim Sum Steamer



TSS-2

Model	TSS-1	TSS-2
Dimension (mm)	760 x 760 x 800	1525 x 760 x 800
Number of Steamer	1	2

Other Range

Double Stove



Model	BJY-STOVE2-TT
Dimension (mm)	720 x 400 x 180



FOODSERVICE EQUIPMENT

A diverse range of commercial kitchen equipment designed to fulfil the diverse requirements of the food service industry. Whether you run a small café or a large-scale restaurant, our products are built to deliver exceptional performance, durability, and efficiency



SCAN TO EXPLORE
FOODSERVICE EQUIPMENT RANGE

-
- 37** Warmer & Steamer
 - 41** Water Boiler
 - 44** Beverage Equipment
 - 45** Catering Equipment
 - 47** Food Preparation Machine
 - 50** Dish Washer
Insect Killer
Air Cooler



Warmer & Steamer

Hot Display Warmer



Colourbond Base Curve (2 Tier)



Colourbond Base Rectangular (3 Tier)



Stainless Steel Base Curve (2 Tier)



Stainless Steel Base Rectangular (3 Tier)

Stainless Steel Base	Curve	2 Tier	HDW09SS-2	HDW12SS-2	HDW15SS-2	HDW18SS-2	HDW24SS-2
		3 Tier	HDW09SS-3	HDW12SS-3	HDW15SS-3	HDW18SS-3	HDW24SS-3
Colourbond Base	Rectangular	2 Tier	RHDW09SS-2	RHDW12SS-2	RHDW15SS-2	RHDW18SS-2	RHDW24SS-2
		3 Tier	RHDW09SS-3	RHDW12SS-3	RHDW15SS-3	RHDW18SS-3	RHDW24SS-3
Colourbond Base	Curve	2 Tier	HDW09SB13-2	HDW12SB13-2	HDW15SB13-2	HDW18SB13-2	HDW24SB13-2
		3 Tier	HDW09SB13-3	HDW12SB13-3	HDW15SB13-3	HDW18SB13-3	HDW24SB13-3
	Rectangular	2 Tier	RHDW09SB13-2	RHDW12SB13-2	RHDW15SB13-2	RHDW18SB13-2	RHDW24SB13-2
		3 Tier	RHDW09SB13-3	RHDW12SB13-3	RHDW15SB13-3	RHDW18SB13-3	RHDW24SB13-3
Dimension (mm)			900 x 700 x 1350	1200 x 700 x 1350	1500 x 700 x 1350	1800 x 700 x 1350	2400 x 700 x 1350
Temperature°C (celsius)			40 - 70	40 - 70	40 - 70	40 - 70	40 - 70
Wattage (W)			1660	1680 - 1730	1700 - 1750	2897 - 3350	3390 - 3460

Food Warmer




Model	Dimension (mm)	No. of Shelving	Wattage (W)
FW 35	557 x (337 + 84) x 515	3	810
FW 40	557 x (362 + 84) x 720	5	1060
FW 45	797 x (337 + 84) x 515	3	1060
FW 50	797 x (362 + 84) x 720	5	1560
FW 55	1000 x (501 + 84) x 620	3	1590

Food Warmer with Thermometer



One Side Sliding Door	Two Side Sliding Door	Dimension (mm)	No. of Shelving	Wattage (W)
NFW35-1	NFW35-2	560 x (360 + 86) x 515	3	860
NFW40-1	NFW40-2	560 x (360 + 86) x 724	5	860
NFW45-1	NFW45-2	800 x (360 + 86) x 515	3	1160
NFW50-1	NFW50-2	800 x (360 + 86) x 724	5	1160
NFW55-1	NFW55-2	997 x (495 + 86) x 617	3	1190

Display Warmer



Model	DW 211	DW 311
Dimension (mm)	760 x 750 x 530	1095 x 750 x 530
Food Pan Capacity (65mm Depth)	2 full size	3 full size
Wattage (W)	370	600

⚡ Display Warmer



Model	50Hz	BJY-PW-120L	BJY-PW-160L
	60Hz	BJY-PW-120L-60	BJY-PW-160L-60
Dimension (mm)	678 x 568 x 686		856 x 568 x 686
Wattage (W)	1100		1500

⚡ Pie Warmer



Model	FW-5G
Dimension (mm)	600 x (398 + 37) x 540
No. of Shelving	3
Wattage (W)	860

⚡ Warmer



Model	BJY-W77
Dimension (mm)	570 x 370 x 230
Wattage (W)	1200

⚡ Mini Infra Red Food Warmer



Model	MIR 11
Dimension (mm)	615 x 335 x 420
Wattage (W)	510

⚡ Infra Red Heating Lamp



Model	IR 510	IR 810	IR 1000
Dimension (mm)	610 x 155 x 65	915 x 155 x 65	1200 x 155 x 65
Wattage (W)	510	810	1000

⚡ Rice Warmer



Model	RW 20
Dimension (mm)	510 x 510 x 860
Wattage (W)	3000

⚡ Rice Warmer



Model	BJY-ERW13	
Dimension (mm)	455 x 455 x 407	
Capacity (Litres)	13	
Wattage (W)	105	

⚡ Dish Warmer



Model	BJY-EDW1	BJY-EDW2
Dimension (mm)	450 x 450 x 930	880 x 450 x 930
No. of Warmer	1	2
Wattage (W)	450	900

⚡ Hot Dog Warmer with Cover



Model	BJY-HD07-N	
Dimension (mm)	590 x 330 x 260	
No. of Roller	7	
Wattage (W)	1580	

⚡ Coffee Warmer



Coffee Warmer

Decantor

	Coffee Warmer	Decantor
Model	BJY-CW2W	DI-N
Dimension (mm)	350 x 170 x 80	-

🔥 Gas BBQ Burner



Model	BBQ 001	BBQ 002
Dimension (mm)	670 x 300 x 160	980 x 300 x 160

⚡ Corn Steamer



	Electrical		Gas
Model	ECS 46SSC	ECS 63SSC	GC5 55SSC
Dimension (mm)	Ø390 x 465	Ø395 x 550	Ø395 x 550
Capacity (Corns)	20	20	20
Wattage (W)	3000	3000	-

⚡ Steam Machine / Pao Steamer



ESM 44



ESM 66

Model	Electrical			Gas
	ESM 44	ESM 55	ESM 66E	ESM 66
Dimension (mm)	380 x 425 x 795	480 x 525 x 910	670 x 635 x 1580	670 x 635 x 1580
Wattage (W)	1130	1130	3000	-

⚡ Bain Marie



Bain Marie

Without Overshelf

Model		Dimension (mm)	No. of Food Pan	Wattage (W)
Advance	Normal			
BM 3-24	BM 3	1105 x 760 x 840	3 full size or 6 half size	3000
BM 4-24	BM 4	1435 x 760 x 840	4 full size or 8 half size	3000
BM 5-24	BM 5	1765 x 760 x 840	5 full size or 10 half size	3000
BM 6-24	BM 6	2095 x 760 x 840	6 full size or 12 half size	3000
BM 15-24	BM 15	1830 x 965 x 840	15 half size	3000
BM 18-24	BM 18	2135 x 965 x 840	18 half size	3000
BM 21-24	BM 21	2440 x 965 x 840	21 half size	3000



Bain Marie
2 Tier Overshelf

With Overshelf

Model				Dimension (mm)	No. of Food Pan	Wattage (W)
Advance		Normal				
1 Tier	2 Tier	1 Tier	2 Tier			
BM 3-1-24	BM 3-2-24	BM 3-1	BM 3-2	1105 x 760 x (840 + 810)	3 full size or 6 half size	3000
BM 4-1-24	BM 4-2-24	BM 4-1	BM 4-2	1435 x 760 x (840 + 810)	4 full size or 8 half size	3000
BM 5-1-24	BM 5-2-24	BM 5-1	BM 5-2	1765 x 760 x (840 + 810)	5 full size or 10 half size	3000
BM 6-1-24	BM 6-2-24	BM 6-1	BM 6-2	2095 x 760 x (840 + 810)	6 full size or 12 half size	3000

*Advance Type comes with water level sound alert and heater control

⚡ Bain Marie with Clear Glass Overshelf



Model	S-MBM-CG15	S-MBM-CG18	S-MBM-CG21
Dimension (mm)	1830 x 965 x 1602	2134 x 965 x 1602	2438 x 965 x 1602
No. of Food Pan	15	18	21
Wattage (W)	3000	3000	3000

⚡ Mini Bain Marie Counter



BMC-4WC



BMC-FP4

Model (With Food Tray)	With Cover	BMC 4WC	BMC 5WC	BMC 6WC	BMC 8WC
	Without Cover	BMC 4	BMC 5	BMC 6	BMC 8
Dimension (mm)		885 x 330 x 270	1083 x 330 x 270	1275 x 330 x 270	1670 x 330 x 270
No. of Food Tray		4	5	6	8
Wattage (W)		1000	1200	1400	1400

Model (With Food Pan)	With Cover	BMC-FP3WC	BMC-FP4WC
	Without Cover	BMC-FP3	BMC-FP4
Dimension (mm)		1075 x 295 x 290	1395 x 295 x 290
No. of Food Tray		3	4
Wattage (W)		1000	1400

⚡ Hot Food Display



Model	HFD24-65	HFD24-100	HFD25-65	HFD25-100
Dimension (mm)	1355 x 615 x 765	1355 x 615 x 765	1680 x 615 x 765	1680 x 615 x 765
Capacity	8 x FP 1/2 - 2.5	8 x FP 1/2 - 4	10 x FP 1/2 - 2.5	10 x FP 1/2 - 4
Wattage (W)	3000	3000	3000	3000

Water Boiler

⚡ Water Boiler



BJY-WB23



BJY-WB40 / BJY-WB60 / BJY-WB80



Water Boiler and Stand

Water Boiler

Model	BJY-WB23	BJY-WB40	BJY-WB60	BJY-WB80
Dimension (mm)	410 x 295 x 680	410 x 295 x 780	520 x 295 x 840	520 x 295 x 940
Capacity (Litres)	21	26	42	50
Wattage (W)	3000	3000	6000	6000
Remarks	-	-	Isolator 35A/1 Phase is required	

Optional: Water Boiler Stand

Model	-	FS-WB40	FS-WB60	FS-WB80
Dimension (mm)	-	415 x 540 x 916	525 x 540 x 916	525 x 540 x 916

⚡ Water Boiler with PU Insulation



BGY-WBPU40-N



BGY-WBPU60-N /
BGY-WBPU80-N



Water Boiler and Stand

Water Boiler with PU Installation

Model	BGY-WBPU40-N	BGY-WBPU60-N	BGY-WBPU80-N
Dimension (mm)	400 x 360 x 805	450 x 380 x 775	450 x 380 x 975
Capacity (Litres)	32	45	60
Wattage (W)	3000	6000	6000
Remarks	-	Single / Three Phase. Isolator 35A/1 Phase is required	

Optional: Water Boiler Stand

Model	FS-WBPU40-N	FS-WBPU60-N	FS-WBPU80-N
Dimension (mm)	415 x 540 x 916	450 x 540 x 916	450 x 540 x 916

⚡ Water Boiler with PU Insulation - Digital Control



Model	BGY-WBPU10DT	BGY-WBPU30DT
Dimension (mm)	180 x 320 x 630	180 x 430 x 740
Capacity (Litres)	10	30
Wattage (W)	2000	3000

⚡ Water Boiler



WBTT-EA



WBTT-GA



WB-GA

Model	Electrical		Gas	Gas Type with Double Insulation
	Table Top	WBTT-EA	WBTT-GA	-
	Free Standing	-	-	WB-GA
Dimension (mm)	Table Top	595 x 495 x 710	595 x 495 x 710	-
	Free Standing	-	-	630 x 565 x 1650
Capacity (Litres)		80	80	80
Wattage (W)		3000 x 2	-	-

Coffee Boiler



CFS-E-C



CFS-E



CFS-GM



CFS-GA

	Economy Type with Cup Holder	Economy Type without Cup Holder	Double Insulation Gas Manual	Double Insulation Gas Auto
Model	CFS-E-C	CFS-E	CFS-GM	CFS-GA
Dimension (mm)	610 x 406 x 840	610 x 406 x 840	610 x 406 x 840	610 x 406 x 840

Water Urn



Model	WU-CH-20L	WU-CH-30L	WU-CH-40L	WU-CH-50L
Dimension (mm)	430 x 275	450 x 330	460 x 380	538 x 380
Capacity (Litres)	20	30	40	50
Wattage (W)	2800	2800	2800	2800



Model	BJJ-U20-B	BJJ-U30-B
Dimension (mm)	ø270 X 587	ø310 X 640
Capacity (Litres)	20	30
Wattage (W)	2250	2600

Water Dispenser



BJJ-CWD6.6L



BJJ-YLR600A

	Cold	Hot & Cold
Model	BJJ-CWD6.6L	BJJ-YLR600A
Dimension (mm)	350 x 420 x 1100	410 x 300 x 1250
Capacity (Litres)	Hot Water - Cold Water 6.6	4 4
Wattage (W)	300	1000

Beverage Equipment

⚡ Juice Dispenser



JD318 JET 25



JD318 MIX 25

			1 Bowl	2 Bowls	3 Bowls
Model	Jet System	50Hz	JD118 Jet 25	JD218 Jet 25	JD318 Jet 25
		60Hz	JD118 Jet 26	JD218 Jet 26	JD318 Jet 26
	Mix System	50Hz	JD118 Mix 25	JD218 Mix 25	JD318 Mix 25
		60Hz	JD118 Mix 26	JD218 Mix 26	JD318 Mix 26
Dimension (mm)			210 x 450 x 710	410 x 450 x 710	610 x 450 x 710
Bowl Capacity (Litres)			18	18 + 18	18 + 18 + 18
Wattage (W)			380	570	620

⚡ Buffet Juice Dispenser



Model	BJY-BJD1 (1 Tank)	BJY-BJD2 (2 Tank)
Dimension (mm)	270 x 360 x 590	580 x 360 x 590
Capacity (Litres)	8	8 x 2

⚡ Commercial Blender



BJY-CB2L-B



BJY-CB2SC-B



BJY-CB2SC-MAX

Model	BJY-CB2L-B (Without Cover)	BJY-CB2SC-B (With Cover)	BJY-CB2SC-MAX (With Cover)
Dimension (mm)	190 x 220 x 480	235 x 270 x 520	225 x 270 x 445
Capacity (Litres)	2	2	2
Wattage (W)	1800	1500	1500

⚡ Juice Extractor Pulp Container



Model	50Hz	BJY-JE65C
	60Hz	BJY-JE65C60
Dimension (mm)		358 x 220 x 300
Capacity (Kg / hr)		65
Wattage (W)		180

Ice Bin



IB-WS



IB-53

Model	IB-WS	IB-53
Dimension (mm)	450 x 760 x 840	500 x 400 x 450

⚡ Ice Shaver (coarse) c/w Ice Tray



Model	BJY-ISC7A
Dimension (mm)	420 x 175 x 270
Capacity (Litres)	7

⚡ Ice Shaving Machine



Model	BJY-IS18
Dimension (mm)	350 x 290 x 430
Capacity (Litres)	18
Wattage (W)	250

Catering Equipment

⚡ Chafing Dish



BGY-CD

BGY-RTCD-O

BGY-RTCD-R

	Chafing Dish	Oblong Round Chafing Dish Full Roll Top Cover	Round Chafing Dish Full Top Cover
Model	BJY-CD	BJY-RTCD-O	BJY-RTCD-R
Dimension (mm)	575 x 350 x 330	625 x 490 x 400	540 x 485 x 490
Capacity (Litres)	9	9	6

⚡ Chafing Dish with Lid Knob



BGY-CD50

BGY-CD75

BGY-CD135

Model	BJY-CD35	BJY-CD50	BJY-CD75	BJY-CD135
Dimension (mm)	420 x 340 x 300	420 x 340 x 300	420 x 340 x 330	420 x 340 x 400
Capacity (Litres)	3.5	5	7.5	13.5

⚡ Soup Kettle



BGY-9SK

BGY-11SK-SS

Model	BJY-9SK	BJY-11SK-SS
Dimension (mm)	360 x 370	315 x 355
Capacity (Litres)	9	11

⚡ Insert Soup Kettle



BJY-PSK7



BJY-PSK11

Model	BJY-PSK7	BJY-PSK11
Dimension (mm)	310 x 240 x 340	360 x 290 x 350
Capacity (Litres)	7	11

Vegetable Pan & Cover



BJY-VIP4



BJY-VIP11

Model	Pan	BJY-VIP4	BJY-VIP7	BJY-VIP11
	Cover	BJY-VIC4	BJY-VIC7	BJY-VIC11
Dimension (mm)	Pan	190 x 190 x 215	240 x 240 x 215	290 x 290 x 215
	Cover	190 x 190	240 x 240	290 x 290
Capacity (Litres)		4	7	11

Perforated Food Pan



Model	Full size			Half size		
	BJY-FP 1 / 1-2	BJY-FP 1 / 1-4	BJY-FP 1 / 1-6	BJY-FP 1 / 2-2	BJY-FP 1 / 2-4	BJY-FP 1 / 2-6
Dimension (mm)	530 x 325 x 65	530 x 325 x 100	530 x 325 x 150	325 x 264 x 65	325 x 265 x 100	325 x 265 x 150

Food Pan & Cover

Food Pan

Full size (6pcs/carton)

Model	Dimension (mm)
FP 1/1-2.5	530 x 325 x 65
FP 1/1-4	530 x 325 x 100
FP 1/1-6	530 x 325 x 150
FP 1/1-8	530 x 325 x 205

Half size (12pcs/carton)

Model	Dimension (mm)
FP 1/2-2.5	325 x 265 x 65
FP 1/2-4	325 x 265 x 100
FP 1/2-6	325 x 265 x 150
FP 1/2-8	325 x 265 x 205

Third size (18pcs/carton)

Model	Dimension (mm)
FP 1/3-2.5	325 x 176 x 65
FP 1/3-4	325 x 176 x 100
FP 1/3-6	325 x 176 x 150
-	-

Quarter size (24pcs/carton)

Model	Dimension (mm)
FP 1/4-2.5	265 x 162 x 65
FP 1/4-4	265 x 162 x 100
FP 1/4-6	265 x 162 x 150

Sixth size (36pcs/carton)

Model	Dimension (mm)
FP 1/6-2.5	176 x 162 x 65
FP 1/6-4	176 x 162 x 100
FP 1/6-6	176 x 162 x 150

Ninth size (48pcs/carton)

Model	Dimension (mm)
FP 1/9-2.5	176 x 108 x 65
FP 1/9-4	176 x 108 x 100
FP 1/9-6	176 x 108 x 150

Cover

Model	FP 1/1C	FP 1/2C	FP 1/3C	FP 1/4C	FP 1/6C	FP 1/9C
Size	Full	Half	Third	Quarter	Sixth	Ninth
Pieces per Carton	6	12	18	24	36	48



Cake Pan



Model	CP-1120	CP-2120
Dimension (mm)	530 x 325 x 20	650 x 530 x 20

Baking Tray



Model	I/BT
Dimension (mm)	605 x 405 x 45

⚡ Waffle Baker



1 Head

2 Heads

Model	BJY-WB1-N	BJY-WB2-N
Dimension (mm)	260 x 252 x 240	500 x 360 x 240
No. of Head	1	2
Wattage (W)	1200	1200 x 2

Food Preparation Machine

⚡ Meat Mincer



BJY-MM22-SS



BJY-MM75FS



BJY-MS75AFS

Model	Table Top		Floor Standing		
	50Hz	BJY-MM12-SS	BJY-MM22-SS	BJY-MM75FS	BJY-MS75AFS
	60Hz	BJY-MM12-SS60	BJY-MM22-SS60	-	-
Dimension (mm)		370 x 220 x 405	460 x 280 x 510	305 x 330 x 595	360 x 310 x 610
Capacity (kg)		120	220	220	220
Wattage (W)		1100	1100	750	750

⚡ Meat Slicing Machine - Economic Semi Auto



Model	BJY-SM250-EN	BJY-SM300-EN
Dimension (mm)	480 x 420 x 400	600 x 520 x 450
Blade Diameter (mm)	250	300
Slicing Thickness (mm)	0 - 9	0 - 11
Wattage (W)	150	250

⚡ Noodle Machine



Model	BJY-NM26	BJY-NM32
Dimension (mm)	470 x 420 x 855	510 x 410 x 855
Wattage (W)	1100	1500

⚡ Pop Corn Machine



Model	BJY-PC80Z
Dimension (mm)	565 x 420 x 680
Wattage (W)	1400

⚡ Potato & Vegetable Peeler



Model	BJY-PP10
Dimension (mm)	630 x 630 x 1080
Capacity (kg)	10
Wattage (W)	750

⚡ Vegetable Preparation Machine



Model	BJY-VPM
Dimension (mm)	595 x 245 x 585
Wattage (W)	550

⚡ Sugar Cane Juice Machine



BJY-SCJM-FS

Model	BJY-SCJM-TT	BJY-SCJM-FS
Dimension (mm)	405 x 305 x 565	460 x 360 x 1000
Capacity (kg/hr)	300	300
Wattage (W)	3700	3700

⚡ Bone Saw



Model	BJY-BSM650
Dimension (mm)	525 470 x 850
Cutting Thickness (mm)	5 - 155
Wattage (W)	650

⚡ Feather Removal Machine



Model	BJY-FRM60
Dimension (mm)	600 x 600 x 930
Wattage (W)	1100

⚡ Vacuum Packaging Machine



BJY-VCM400-TT



BJY-VCM400-FS



BJY-VCM800-EDC

Model	BJY-VCM400-TT	BJY-VCM400-FS	BJY-VCM800-EDC
Dimension (mm)	550 x 485 x 520	550 x 490 x 950	1850 x 700 x 950
No. of Heater (pcs)	1 or 2	1 or 2	4
Wattage (W)	900	900	2700

* BJY-VCM800-EDC:- 3 Phase, 35A isolator required

Dish Washer

Commercial Dish Warmer



BJY-DW1200

BJY-DW3210S

	Undercounter	Free Standing
Model	BJY-DW1200	BJY-DW3210S
Dimension (mm)	600 x 600 x 830	650 x 725 x 1425
Washing Tank (Litres)	18	40
Washing Capacity (per hour)	36 - 40 racks	1500 pcs Bowl 350 - 460 pcs Bowl (Big size) 2000 pcs Glass Cup (Max)
Wattage (W)	4000	9200

* BJY-DW3210S:- 3 Phase, 35A isolator required


Pre-Rinse Spray Faucet



Model	BJY-PRS
Packing Dimension (mm)	681 x 300 x 94

Insect Killer

Insect Killer



Model	BJY-IK30A	BJY-IK40A
Dimension (mm)	490 x 105 x 325	650 x 105 x 385
Coverage Area (Meters)	80 m ²	100 m ²

Air Cooler

Evaporative Air Cooler



Model	BJY-EAC5000
Dimension (mm)	680 x 425 x 1050
Max Airflow (m ³ /h)	5000



BAKERY MACHINERY

We are the leading bakery machinery manufacturer, specializing in providing a wide range of high-quality baking equipment and solutions for our esteemed customers.



SCAN TO EXPLORE
BAKERY MACHINERY RANGE

- 53** Electrical Baking Oven
- 54** Gas Baking Oven
- 55** Mixer
- 57** Proofer
Other Dough Equipment
- 58** Toaster
Cooling Rack



Electrical Baking Oven

⚡ Baking Oven (BD & BDD series)



BJY-E3KW-1BD



BJY-E6KW-1BDD



BJY-E13KW-2BDD



BJY-E20KW-3BDD



BJY-E25KW-3BDD

Model	1 Deck		2 Decks	3 Decks		
	Analog Controller	BJY-E3KW-1BD	BJY-E6KW-1BD	-	-	-
	Digital Controller	-	BJY-E6KW-1BDD	BJY-E13KW-2BDD	BJY-E20KW-3BDD	BJY-E25KW-3BDD
Dimension (mm)	920 x 700 x 410		1250 x 845 x 615	1250 x 845 x 1200	1250 x 845 x 1615	1670 x 845 x 1640
Capacity (kg/hr)	10		20	40	60	90
No. of Baking Tray	1		2	4	6	9

*BJY-E6KW-1BD - Isolator 35A / 1 Phase is required

⚡ Baking Oven (PRM series)



BJY-E3KW-1PRM



BJY-E6KW-1PRM



BJY-E13KW-2PRM



BJY-E20KW-3PRM



BJY-E25KW-3PRM

Model	1 Deck		2 Decks	3 Decks		
	BJY-E3KW-1PRM	BJY-E6KW-1PRM	BJY-E13KW-2PRM	BJY-E20KW-3PRM	BJY-E25KW-3PRM	
Dimension (mm)	990 x 660 x 435		1280 x 875 x 575	1280 x 875 x 1245	1280 x 875 x 1640	1700 x 875 x 1640
Capacity (kg/hr)	10		20	40	60	90
No. of Baking Tray	1		2	4	6	9

*BJY-E6KW-1PRM - isolator 35A / 1 Phase is required

⚡ Baking Oven



BJY-3B6P-E



BJY-3B12P-E

Model	3 Decks	3 Decks
		BJY-3B6P-E
Dimension (mm)	1255 x 1115 x 1735	1615 x 1275 x 1730

*3 Phase is required

⚡ Baking Oven + Pans Proofer



BJY-2B+8PF-E



BJY-2B+16PF-E

Model	3 Decks	3 Decks
		BJY-2B+8PF-E
Dimension (mm)	1265 x 1115 x 1635	1615 x 1300 x 1635
No. of Pan	8 Pans	16 Pans

*3 Phase is required

⚡ Convection Oven without Steamer



Model	BJY-E-CO28	
Dimension (mm)	600 x 615 x 555	

⚡ Pizza Oven



Model	BJY-E-PO22	BJY-E-PO42
Dimension (mm)	610 x 625 x 300	870 x 810 x 386
Wattage (W)	2200	4200

* BJY-E-PO42 - Isolator 25A/1 phase is required

⚡ Commercial Microwave Oven



Model	BJY-MCO1000-25L	
Dimension (mm)	511 x 432 x 380	
Wattage (W)	1000	

Gas Baking Oven

🔥 Baking Oven (BD & BDD series)



Model	1 Deck		2 Decks		3 Decks	
	Analog Controller	BJY-G30-1BD	BJY-G60-1BD	-	-	-
	Digital Controller	BJY-G30-1BDD	BJY-G60-1BDD	BJY-G120-2BDD	BJY-G180-3BDD	BJY-G270-3BDD
Dimension (mm)		1000 x 740 x 550	1340 x 900 x 660	1340 x 900 x 1400	1340 x 900 x 1800	1760 x 900 x 1800
Capacity (kg/hr)		10	20	30	60	90
No. of Baking Tray		1	2	4	6	9

🔥 Baking Oven (PRM series)



BJY-G30-1PRM



BJY-G60-1PRM



BJY-G120-2PRM



BJY-G180-3PRM



BJY-G270-3PRM

	1 Deck		2 Decks	3 Decks	
Model	BJY-G30-1PRM	BJY-G60-1PRM	BJY-G120-2PRM	BJY-G180-3PRM	BJY-G270-3PRM
Dimension (mm)	1030 x 930 x 650	1340 x 900 x 620	1340 x 990 x 1357	1340 x 990 x 1777	1760 x 990 x 1777
Capacity (kg/hr)	10	20	40	60	90
No. of Baking Tray	1	2	4	6	9

🔥 Baking Oven + Pans Proofer



BJY-1B+12PF-G



BJY-2B+8PF-G

	1 Deck	2 Decks
Model	BJY-1B+12PF-G	BJY-2B+8PF-G
Dimension (mm)	1310 x 960 x 1810	1310 x 960 x 1810
No. of Pan	12 Pans	8 Pans

Mixer

⚡ Bakery Mixer

5 / 7 Litres
(With Netting)10 / 20 / 30 Litres
(With Netting)40 Litres
(With Netting)

60 Litres

		5 Litres	7 Litres	10 Litres	20 Litres	30 Litres	40 Litres	60 Litres	
Model	With Netting	50Hz	BJY-BM5N-B	BJY-BM7N-B	BJY-BM10N	BJY-BM20N	BJY-BM30N	BJY-BM40N	BJY-BM60N
		60Hz			BJY-BM10N-60	BJY-BM20N-60	BJY-BM30N-60	BJY-BM40N-60	-
	Without Netting	50Hz	BJY-BM5-B	BJY-BM7-B	BJY-BM10	BJY-BM20	BJY-BM30	BJY-BM40	-
		60Hz			BJY-BM10-60	BJY-BM20-60	BJY-BM30-60	BJY-BM40-60	-
Dimension (mm)		350 x 230 x 400	400 x 250 x 410	430 x 420 x 690	530 x 430 x 880	550 x 450 x 880	640 x 620 x 1040	910 x 740 x 1600	
Bowl Capacity (Litres)		5.5	7.5	10	20	28	38	60	
Max Dough Capacity (kg)		0.5*	0.7*	2.5*	5*	6*	8*	25*	

* Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

** BGY-BM60N : 3 phase is required

⚡ Bakery Mixer (With Digital Control & Timer)



With Netting

Without Netting

Model	With Netting	BJY-BM10N-DT	BJY-BM20N-DT	BJY-BM30N-DT	BJY-BM40N-DT
	Without Netting	BJY-BM10-DT	BJY-BM20-DT	BJY-BM30-DT	BJY-BM40-DT
Dimension (mm)		464 x 383 x 777	547 x 476 x 918	563 x 476 x 993	652 x 573 x 1121
Bowl Capacity (Litres)		10	20	26	40
Max Dough Capacity (kg)		2.5	5	6	8

⚡ Spiral Mixer



BJY-SM30M

BJY-SM40M

BJY-SM50D

Model	1 Speed (Manual Control)		2 Speed (Manual Control)		2 Speed (Digital Control)		
	50Hz	BJY-SM30M	BJY-SM40M	BJY-SM50M	BJY-SM30D	BJY-SM40D	BJY-SM50D
	60Hz	BJY-SM30M60	BJY-SM40M60	BJY-SM50M60	-	-	-
Dimension (mm)		730 x 450 x 850	900 x 500 x 1200	1000 x 600 x 1230	850 x 430 x 940	930 x 490 x 1160	1020 x 590 x 1170
Bowl Capacity (Litres)		28	45	66	28	45	66
Max Dough Capacity (kg)		12.5*	20*	25*	12.5*	20*	25.5*

* Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

** 2 Speed Manual & Digital Control : 3 phase is required

⚡ Spiral Mixer



Digital Control

Manual Control

Model	2 Speed	Manual	BJY-SM30M-B	BJY-SM40M-B	BJY-SM50M-B
		Digital	BJY-SM30D-B	BJY-SM40D-B	BJY-SM50D-B
Dimension (mm)			718 x 432 x 931	749 x 480 x 1096	799 x 530 x 1096
Bowl Capacity (Litres)			30	40	50
Max Dough Capacity (kg)			12	15	20

*3 phase is required

Proofer

⚡ Proofer with Humidifier



	Single Door	Double Door
Model	1DPF-16-N	2DPF-32-N
Dimension (mm)	530 x 785 x 2050	1068 x 785 x 2050
No. of Pan	16	32

⚡ Retarder Proofer (Dual System Cold & Hot)



Model	1D-RPF-16T
Dimension (mm)	800 x 1165 x 2090
Temperature Range (°C)	40 to -15 ± 3
No. of Pan / Layer	32 Pans / 16 Layers

Other Dough Equipment

⚡ Dough Divider



Model	BJY-DD120
Dimension (mm)	520 x 420 x 1240
Capacity (pcs/time)	36

⚡ Dough Divider Rounder (Semi Auto)



Model	BJY-DDR30
Dimension (mm)	600 x 730 x 1560
Capacity (pcs/time)	30

*3 Phase is required

⚡ Dough Sheeter



Model	BJY-DS500
Dimension (mm)	2540 x 910 x 1150
Wattage (W)	400

*3 Phase is required

⚡ Dough Moulder



Model	BJY-DM390
Dimension (mm)	1300 x 665 x 1090
Capacity (pcs/time)	1000 - 3000

Toaster

⚡ Toaster



Model	BJY-T4	BJY-T6
Dimension (mm)	300 x 260 x 225	400 x 420 x 225
Capacity (pcs)	4	6
Wattage (W)	1800	2500

⚡ Contact Toaster



Model	BJY-CG11-N	BJY-CG23-N
Thermostat (°C)	50 - 300	50 - 300
Dimension (mm)	300 x 370 x 220	420 x 370 x 220
Wattage (W)	2180	2380

⚡ Conveyor Toaster



Model	50Hz	BJY-TT-300
	60Hz	BJY-TT-300-60
Dimension (mm)	425 x 360 x 420	
Wattage (W)	2240	

⚡ Bread Slicer



Model	50Hz	BJY-BS31
	60Hz	BJY-BS31-60
Dimension (mm)	680 x 650 x 820	
Capacity (pcs)	31	
Wattage (W)	250	

Cooling Rack

Cooling Rack for Baking Tray



Cooling Rack

Model	Food Pan		Baking Tray
	Grade 439	CR-FP-439	CR-BT-439
	Grade 304	CR-FP-304	CR-BT-304
Dimension (mm)	390 x 550 x 1735		470 x 620 x 1735

Knock Down Cooling Rack

Model	Food Pan		Baking Tray	Baking Tray
	Grade 439	K-CR-FP-439	K-CR-BT-439	CR1800-439
	Grade 304	K-CR-FP-304	K-CR-BT-304	CR1800-304
Dimension (mm)	390 x 550 x 1735	470 x 620 x 1735	470 x 660 x 1800	



STAINLESS STEEL FABRICATION

A good start for a business is low startup cost with Berjaya's Stainless Steel Fabrication, such as Food stalls, food racks, food counters, stainless steel worktables, bowl sinks, etc with various sizes to deliver higher precision of satisfaction to your kitchen needs.



SCAN TO EXPLORE
STAINLESS STEEL
FABRICATION RANGE

-
- 61** Food Stall & Tea Counter
 - 65** Bowl Sink
 - 66** Worktable, Rack & Wall Shelf
 - 68** Trolley
 - 69** Table and Chair
Other



Food Stall & Tea Counter

Tea Counter



Counter Only

Counter Only

Model	S-TC-42D	S-TC-48D	TC-60D	TC-72D
Dimension (mm)	1067 x 760 x 840	1220 x 760 x 840	1525 x 760 x 840	1830 x 760 x 840



Glass Overshelf with Drawer

Model	TC2-42D26	TC2-66D26	TC2-42D	TC2-48D	TC2-60D	TC2-72D
Dimension (mm)	1070 x 660 x (840+915)	1677 x 660 x (840+915)	1070 x 760 x (840+915)	1220 x 760 x (840+915)	1525 x 760 x (840+915)	1830 x 760 x (840+915)

Glass Overshelf with Drawer



Right Sink



Left Sink

Glass Overshelf with Drawer & Sink

Model	Right Sink	TC2-60DS-R	TC2-72DS-R
	Left Sink	TC2-60DS-L	TC2-72DS-L
Dimension (mm)		1525 x 760 x (840 + 915)	1830 x 760 x (840 + 915)

Chicken Stall



Counter Only



With Glass Overshelf

Counter Only

Model	CC-48	CC-60	CC-72
Dimension (mm)	1220 x 760 x 840	1525 x 760 x 840	1830 x 760 x 840

Glass Overshelf & Spotlight

Model	CS-48	CS-60
Dimension (mm)	1220 x 760 x (840 + 1070)	1525 x 760 x (840 + 1070)

Prawn Mee Stall



Counter Only



1 Tier Overshelf



2 Tiers Overshelf

Counter Only

Model	PMS-E-S-L	PMS-E
Dimension (mm)	914 x 610 x 840	1070 x 610 x 840

With Overshelf

Model	1 Tier	PMS-1-E-S-L	PMS-1-E
	2 Tiers	PMS-2-E-S-L	PMS-2-E
Dimension (mm)		914 x 610 x (840 + 910)	1070 x 610 x (840 + 910)

Mee Goreng Stall



MGWF-28



MGWF-60



MG-48

	With Fan		Without Fan	
Model	MGWF-28	MGWF-60	MG-48	MG-60
Dimension (mm)	635 x 760 x 2085	1525 x 760 x 2085	1220 x 760 x (760 + 760)	1525 x 760 x (760 + 760)

Mini Burger / Burger Stall with Hot Plate & Burner



Mini Burger



Burger Stall

	Mini Burger		Burger Stall	
Model	MBS-510	MBS-610	BS-4828-E	BS-60
Dimension (mm)	510 x 460 x 160	610 x 460 x 160	1200 x 760 x (840 + 760)	1525 x 760 x (840 + 760)

Roti Canai Counter & Hot Plate



RC-60D / 72D



RCD-60D / 72D

Roti Canai Counter

Model	C-50 Burner	RC-60D	RC-72D
	Dipped Counter with C-50 Burner	RCD-60D	RCD-72D
Dimension (mm)	1525 x 770 x (840 + 50)		1830 x 770 x (840 + 50)

* Excluded Hot Plate

Hot Plate



Model	Name	Dimension (L x W x H) (mm)
HP24 S	Griddle Plate 24" (Square)	610 x 460 x 9
HP29 S	Griddle Plate 29" (Square)	755 x 610 x 9
HP24 R	Griddle Plate 24" (Round)	Ø610 x 9
HP28 R	Griddle Plate 28" (Round)	Ø710 x 9

Pot Rack & Mee Soup Pot



Pot Rack

Model	Standard Type	PR-S
	Economy Type	PR-E
Dimension (mm)		535 x 535 x 840



Mee Soup Pot

Model	Concentric	MSP-C
	Concentric + Partition	MSP-CP
	Empty	MSP-E
	Partition	MSP-P
	Triple Partition	MSP-TP
Dimension (mm)		Ø380 x 381

Clean Dish Sink & Overshelf



Clean Dish Sink

Clean Dish Sink & 2 Tiers Overshelf

Model	Clean Dish Sink	CDS-1576	CDS-1876	CDS-2176
	2 Tiers Overshelf	OS-2-CDS-1576	OS-2-CDS-1876	OS-2-CDS-2176
Dimension (mm)	Clean Dish Sink	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840
	2 Tiers Overshelf	1500 x 300 x 760	1800 x 300 x 760	2100 x 300 x 760

* Optional: 2 Tiers Overshelf

Awning Stall



Model	AS-72
Dimension (mm)	1830 x 915 x (855 + 1485)

ABC Counter with Glass Overshelf



Model	ABC-4228-E
Dimension (mm)	1067 x 710 x (840 + 760)

Seafood Display With Stand



Model	SD-WS
Dimension (mm)	1219 x 610 x 800

Hong Kong Chee Cheong Fun



Model	HKCCF-36
Dimension (mm)	915 x 535 x 885

Chicken Wing Stall



Model	S-CW-8
Dimension (mm)	1015 x 635 x 1830

Lobak Stall



Model	S-LS-60
Dimension (mm)	1525 x 760 x 840

Grill Fish Stall



Model	S-GFS-44
Dimension (mm)	1190 x 760 x 840

Bowl Sink

Single Bowl Sink



SBS-28



SBS-450-SG-439

Model	SBS-28	SBS-450-SG-439	SBS-1000L	SBS-SL 1000L
Dimension (mm)	710 x 760 x (840 + 150)	450 x 500 x 850 (100F + 150R)	1000 x 585 x (830 + 95)	1000 x 580 x 870

Single Bowl Sink Table



Left



Right

Model	Left	SBS-48-L	SBS-60-L	SBS-72-L
	Right	SBS-48-R	SBS-60-R	SBS-72-R
Dimension (mm)		1220 x 760 x (840 + 150)	1525 x 760 x (840 + 150)	1830 x 760 x (840 + 150)

Double Bowl Sink Table



Center



Left



Right

Model	Center	DBS-48-C	DBS-60-C	DBS-72-C	DBS-84-C
	Left	-	DBS-60-L	DBS-72-L	-
	Right	-	DBS-60-R	DBS-72-R	-
Dimension (mm)		1220 x 760 x (840 + 150)	1525 x 760 x (840 + 150)	1830 x 760 x (840 + 150)	2135 x 760 x (840 + 150)

Triple Bowl Sink Table



Model	TBS-84
Dimension (mm)	2135 x 760 x (840 + 150)

Wall Mount Knee Operated Bowl Sink (Single)



Model	BJJ-SBS-KO
Dimension (mm)	400 x 335 x 550

Worktable, Rack & Wall Shelf

Worktable



1 Tier Undershelf



2 Tiers Undershelf

Grade 304, Top 1.2mm, Base 0.8mm

Model	1 Tier Undershelf	WT-1-1276-304	WT-1-1576-304	WT-1-1876-304	WT-1-2176-304
	2 Tiers Undershelf	WT-2-1276-304	WT-2-1576-304	WT-2-1876-304	WT-2-2176-304
Dimension (mm)		1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840

Grade 439, Top 0.8mm, Base 0.8mm

Model	1 Tier Undershelf	WT-1-1276-439	WT-1-1576-439	WT-1-1876-439	WT-1-2176-439
	2 Tiers Undershelf	WT-2-1276-439	WT-2-1576-439	WT-2-1876-439	WT-2-2176-439
Dimension (mm)		1200 x 760 x 840	1500 x 760 x 840	1800 x 760 x 840	2100 x 760 x 840

Grade 430, Top 0.6mm, Base 0.5 / 0.6mm

Width : 610mm (24")

Model	1 Tier Undershelf	WT-1-3624	WT-1-4424	WT-1-4824	WT-1-6024	WT-1-7224	WT-1-8424
	2 Tiers Undershelf	WT-2-3624	WT-2-4424	WT-2-4824	WT-2-6024	WT-2-7224	WT-2-8424
Dimension (mm)		915 x 610 x 840	1120 x 610 x 840	1220 x 610 x 840	1525 x 610 x 840	1830 x 610 x 840	2135 x 610 x 840

Width : 760mm (30")

Model	1 Tier Undershelf	WT-1-3630	WT-1-4430	WT-1-4830	WT-1-6030	WT-1-7230	WT-1-8430
	2 Tiers Undershelf	WT-2-3630	WT-2-4430	WT-2-4830	WT-2-6030	WT-2-7230	WT-2-8430
Dimension (mm)		915 x 760 x 840	1120 x 760 x 840	1220 x 760 x 840	1525 x 760 x 840	1830 x 760 x 840	2135 x 760 x 840

Width : 915mm (36")

Model	1 Tier Undershelf	WT-1-7236		WT-1-8436	
	2 Tiers Undershelf	WT-2-7236		WT-2-8436	
Dimension (mm)		1830 x 915 x 840		2135 x 915 x 840	

Worktable (Economy Type)



WT-1-2719-E



WT-2-3218-E



WT-1-3620SL-E

		Without Back Splash	With Back Splash	
Model	1 Tier Undershelf	WT-1-2719-E	WT-1-3218-E	WT-1-3620-E
	2 Tiers Undershelf	WT-2-2719-E	WT-2-3218-E	-
	1 Tier Slatted Undershelf	-	-	WT-1-3620SL-E
Dimension (mm)		692 x 489 x 840	813 x 470 x (840 + 150)	915 x 520 x (660 + 300)

Solid 4 Tier Rack



Solid 4 Tier Rack

Model	Solid	TR4-44	TR4-48	TR4-60	TR4-72
	Perforated	-	TR4-48P	TR4-60P	TR4-72P
Dimension (mm)		1120 x 490 x 1525	1220 x 530 x 1525	1525 x 530 x 1525	1830 x 530 x 1525

Shelving Rack



Model	Stainless Steel	BJY-3621-6SS	BJY-4821-6SS	BJY-6021-6SS
	Chrome	BJY-3621-6C	BJY-4821-6C	BJY-6021-6C
Dimension (mm)		910 x 530 x 1803	1220 x 530 x 1803	1525 x 530 x 1803

Small Rack



TR-3-16



SR-3

Model	2 Tiers		3 Tiers
	TR-2-16	TR-3-16	SR-3
Dimension (mm)	400 x 400 x 720	400 x 400 x 720	760 x 355 x 720

Table For Burner



TB-2-3018-E

Model	With Underself	Without Underself
	TB-2-3018-E	TB-1-3018-E
Dimension (mm)	760 x 460 x (685 + 203)	760 x 460 x (685 + 203)

Wall Shelf



Model 0.8mm	#304	WS-0930-304	WS-1230-304	WS-1530-304	WS-1830-304	WS-2130-304
	#439	WS-0930-439	WS-1230-439	WS-1530-439	WS-1830-439	WS-2130-439
Dimension (mm)		900 x 300 x 225	1200 x 300 x 225	1500 x 300 x 225	1800 x 300 x 225	2100 x 300 x 225

Perforated Wall Shelf



Model 0.8mm	#304	WS-1230-304-P	WS-1530-304-P	WS-1830-304-P
	#439	WS-1230-439-P	WS-1530-439-P	WS-1830-439-P
Dimension (mm)		1200 x 300 x 225	1500 x 300 x 225	1800 x 300 x 225

Trolley

Food Trolley



FT-3



PT-2

Model	Normal Type		Economy Type	Perforated Trolley
	2 Tier	FT-2	FT-2-1926-E	PT-2
3 Tier	FT-3	FT-3-1926-E	-	
Dimension (mm)	810 x 610 x 840	483 x 660 x 840	585 x 350 x 840	

Trolley



BJY-RST



BJY-SST8-KD-CS



BJY-2TDT-KDM



BJY-DCT-KDM

Name	Model	Type	Dimension (mm)
Round Service Trolley	BJY-RST	2 Tier	Ø400 x 715
Rectangular Service Trolley (Knock Down)	BJY-ST-KD	2 Tier	450 x 400 x 765
Seasoning Trolley (Knock Down)	BJY-SST8-KD-CS	8 compartments	850 x 450 x 900
	BJY-2TDT-KDS	2 Tier - Small	750 x 400 x 835
Dining Trolley (Knock Down)	BJY-2TDT-KDM	2 Tier - Medium	850 x 450 x 900
	BJY-3TDT-KDS	3 Tier - Small	750 x 400 x 835
	BJY-3TDT-KDM	3 Tier - Medium	850 x 450 x 900
Dish Collection Trolley	BJY-DCT-KDS	2 Tier - Small	750 x 400 x 835
	BJY-DCT-KDM	2 Tier - Medium	850 x 450 x 900
	BJY-DCT-KDL	2 Tier - Large	950 x 500 x 950

Cutley Trolley (Knock Down)



BJY-CT



3SDCT

Model	BJY-CT	3SDCT	3LDCT	4SDCT	4LDCT
Dimension (mm)	850 x 450 x 900	730 x 420 x 980	830 x 460 x 1015	730 x 420 x 1250	830 x 460 x 1250
No. of Tier	3	3	3	4	4

Table and Chair

Table and Chair



	Chair	Table
Model	SP : C4	SP : T (SS)
Dimension (mm)	450 x 570 x 780	1135 x 690 x 750

Baby Chair



Model	SP : BC
Dimension (mm)	340 x 527 x 820

Other

Grease Trap System



GTS-20



GTS-22-SIRIM

Model	GTS-20	GTS-22-SIRIM
Dimension (mm)	510 x 360 x 330	560 x 380 x 340

Grease Trap System



	Aluminium	Stainless Steel
Model	AL-BF	SS-BF
Dimension (mm)	495 x 495 x 48	495 x 495 x 48

Ashtray Dustbin



BGY-ASH-PC-A



BGY-SQASH-FC-A



BGY-SQASH-PC-A

Name	Model	Dimension (mm)
Ashtray Bin Perforated Cover (Round)	BGY-ASH-PC-A	Ø250 x 610
Ashtray Bin Flip Cover (Square)	BGY-SQASH-FC-A	300 x 255 x 680
Ashtray Bin Perforated Cover (Square)	BGY-SQASH-PC BGY-SQASH-PC-A	250 x 250 x 610 285 x 235 x 585

Menu Stand



Model	MS (S)	MS (L)
Dimension (mm)	457 x 432 x 1270	457 x 432 x 1473

BERJAYA CKE

Berjaya CKE International Sdn. Bhd.

202301018447 (1512369-X)

Berjaya CKE Enterprise Sdn. Bhd.

202301043780 (1537696-V)

Corporate Office:

191-5, 5th Floor, Wisma CKE,
Jalan Lancang, Off Jalan Cheras,
56100 Kuala Lumpur, Malaysia.

Factory:

PT 16736, Jalan Permata 1,
Arab Malaysian Industrial Park,
71800 Nilai, Negeri Sembilan, Malaysia.

T: +603 - 9145 8888

E: export@berjayacke.com
admin@berjayacke.com

www.berjayacke.com



As product improvement is an on going process,
we reserve the right to change specifications or design without
notice.

Catalogue/2026/Mar18



SCAN TO
VISIT OUR WEBSITE